

## NATA Accredited Laboratory Number: 4105 **Drug Screening Certificate**

A DIVISION OF

400 Epsom Road Flemington Victoria 3031 Australia

T +61 3 9376 6760 hasta@rasl.com.au

w www.hasta.org.au

**Certificate Number:** RS24/03925

Client: Bulk Nutrients (Bioflex Nutrition)

Samples Received: 13 March 2024 Page 1 of 1

Sample No.	Product Name	Flavour / Variant	Specimen Type	Batch No.	Expiry Date	Result
RS24/03925-1	Electrolyte+	Tropical	Powder Supplement	38940903	23 Nov 2025	ND

## Result Key:

**ND** - no prohibited substance detected as per method MS123.

- \* Prohibited substance detected
- # Samples not analysable/not fully analysable

## **Analysis Requested**

HASTA supplement screening test for WADA prohibited substances

**Test Method** MS123

This result is for the sample supplied and cannot provide a 100% guarantee that all product is free from contamination as the batch may not be homogenous.

PASI Cortificate 1 V/1 4 Jacus data 25 Aug 2022 Approved by D Pathy TUIS PEDOPTIMANNOT PEDEDDODI ICED EVCEDTINE III I

Signed: ...

Louise Barker

(Team Leader - Sports Supplements)

Dated: 27 March 2024

