

NATA Accredited Laboratory Number: 4105 **Drug Screening Certificate**

A DIVISION OF

Page 1 of 1

400 Epsom Road Flemington Victoria 3031 Australia

T +61 3 9376 6760 hasta@rasl.com.au

w www.hasta.org.au

Certificate Number: RS24/04117

Client: Bulk Nutrients (Bioflex Nutrition)

Samples Received: 15 March 2024

Sample No.	Product Name	Flavour / Variant	Specimen Type	Batch No.	Expiry Date	Result
RS24/04117-1	Electrolyte +	Tropical	Powder Supplement	39041403	23 Nov 2025	ND

Result Key:

ND - no prohibited substance detected as per method MS123.

- * Prohibited substance detected
- # Samples not analysable/not fully analysable

Analysis Requested

HASTA supplement screening test for WADA prohibited substances

Test Method MS123

This result is for the sample supplied and cannot provide a 100% guarantee that all product is free from contamination as the batch may not be homogenous.

PASI Cortificate 1 V/1 4 Jacus data 25 Aug 2022 Approved by D Pathy TUIS PEDOPTIMANNOT PEDEDDODI ICED EVCEDTINE III I

Signed: ...

Louise Barker

(Team Leader - Sports Supplements)

Dated: 3 April 2024

